



BEAMZ
MADE
EAZY

150.760 V2.0

BWA418

QUICK START GUIDE

CONTROL MENU

MENU		DESCRIPTION	
DMX mode	Addr	9CH	d001-d512
		5CH	
		4CH	
		3CH	
		2CH	
Static colours	Stat	S 01-24	Static colours
Auto	Auto	Au 1-2	Auto program
Speed	SPEE	SP 1-9	Speed
Edit colour	Colo	r000-255	Red (0-100%)
		g000-255	Green (0-100%)
		b000-255	Blue (0-100%)
		U000-255	White (0-100%)
Colour temperature	tEMP	2700	2700K
		3200	3200K
		4300	4300K
		5600	5600K
		6500	6500K
		8000	8000K
Dimming	dIMM	d11-d19	Master dimming
Slave	SLAV	Slave	Slave
Infrared	InFr	on/oFF	Enable or Disenable IR remote

DMX CHANNELS

2 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Master dimming	000-255	Master dimming (0-100%)
2	Colour macro	000-009	No function
		010-019	Red
		020-029	Green
		030-039	Blue
		040-049	White
		050-059	Yellow
		060-069	Magenta
		070-079	Cyan
		080-089	Dark orange
		090-099	Green yellow
		100-109	Salmon
		110-119	Turquoise
		120-129	Light Green
		130-139	Orange
		140-149	Straw
		150-159	Lavender
		160-169	Light blue
		170-179	Dark blue
		180-255	Pink

3 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Colour	000-255	Red 0-100%
2		000-255	Green 0-100%
3		000-255	Blue 0-100%

4 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Colour	000-255	Red 0-100%
2		000-255	Green 0-100%
3		000-255	Blue 0-100%
4		000-255	White 0-100%

5 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Master dimming	000-255	(0-100%)
2	Strobe	000-255	Stroboscope (Rate 0-100%) 0-20/ Second
3	Colour macro	000-009	No function
		010-019	Red
		020-029	Green
		030-039	Blue
		040-049	White
		050-059	Yellow
		060-069	Magenta
		070-079	Cyan
		080-089	Dark orange
		090-099	Green yellow
		100-109	Salmon
		110-119	Turquoise
		120-129	Light Green
		130-139	Orange
		140-149	Straw
		150-159	Lavender
		160-169	Light blue
170-179	Dark blue		
180-255	Pink		
4	Program	000-009	No function
		010-129	Colour blending (rate)
		130-255	Colour change (rate)
5	Temp	000-009	No function
		010-049	White2700k
		050-089	White3200k
		090-129	White4300k
		130-169	White5600k
		170-209	White6500k
		210-255	White8000k

9 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Master dimming	000-255	Dimmer 0-100%
2	Strobe	000-255	Stroboscope (Rate 0-100%) 0-20/ Second
3	Red	000-255	Red 0-100%
4	Green	000-255	Green 0-100%
5	Blue	000-255	Blue 0-100%
6	White	000-255	White 0-100%
7	Colour macro	000-009	No function
		010-019	Red
		020-029	Green
		030-039	Blue
		040-049	White
		050-059	Yellow
		060-069	Magenta
		070-079	Cyan
		080-089	Dark orange
		090-099	Green yellow
		100-109	Salmon
		110-119	Turquoise
		120-129	Light Green
		130-139	Orange
		140-149	Straw
		150-159	Lavender
		160-169	Light blue
170-179	Dark blue		
180-255	Pink		
8	Program	000-009	No function
		010-129	Colour blending (rate)
		130-255	Colour change (rate)
9	Temp	000-009	No function
		010-049	White2700k
		050-089	White3200k
		090-129	White4300k
		130-169	White5600k
		170-209	White6500k
		210-255	White8000k



A series of horizontal dotted lines spanning the width of the page, intended for handwriting practice. There are 24 lines in total, evenly spaced from the top to the bottom of the page.





A series of horizontal dotted lines for writing, spanning the width of the page.



BEAMZ

YOUR FUTURE
YOUR SKILLS
YOUR PLATFORM
YOUR PARTY
YOUR EVENT



offers a wide range of high performance lighting equipment and related accessories for the rental, entertainment and architectural lighting markets. BeamZ Pro stands for performance, innovation and value pricing!

